

1. COMPANY INFORMATION

Lindab AB

Company name:

Lindab AB

Organisation number:

556068-2022

Address:

Stålhögavägen 115

Contact person:

Customer Service

E-mail:

Vent: kundtjanst.ventilation@lindab.com; Profile: kundtjanst@lindab.com

Telephone:

Vent: +46 10 14 64 100; Profile: +46 43 18 51 00

VAT number:

Website:

www.lindab.com

GLN:

7300009-00795-0

DUNS:

Company was last saved

2026-03-04 13:36:40

Company's certification

 ISO 9001 ISO 14001

Other:

The Building Product Declaration is produced by Lindab AB, but the ISO certifications belong to the manufacturing subsidiaries.

Policies and guidelines

 The company has a code of conduct/policy/guidelines for dealing with social responsibility in the supplier chain, including procedures for ensuring the requirements This is third-party audited

If yes, which if the following guidelines have you affiliated to or management system you have implemented

 UN guiding principles for companies and human rights ILO's eight core conventions OECD Guidelines for Multinational Enterprises UN Global Compact ISO 26000

Other policy guidelines

Management system

If you have a management system for corporate social responsibility, what out of the following is included in the work?

- Mapping
- Risk analysis
- Action plan
- Monitoring

Sustainability reporting guidelines:

GRI (Global Reporting Initiative), GHG (Green House Gas Protocol)

2. ARTICLE INFORMATION

Document data

Id:

A-7300009-00795-0-389

Version:

5

Created:

2026-03-20 07:50:41

Last saved:

2026-03-20 07:56:49

Changes relates to:

updated articles

Roof safety system (EPDM)

Article name:

Roof safety system (EPDM)

Article No/ID concept

Article identity: GTIN

7319660015174, 7319660015181, 7319660015853, 7319660015877, 7319660028174, 7319660034595, 7319660048394, 7319660054494, 7319660054500, 7319660054517, 7319660054524, 7319660054579, 7319660054586, 7319660054593, 7319660054630, 7319660054647, 7319660054654, 7319660054661, 7319660055583, 7319660055590, 7319660055606, 7319660055637, 7319660055644, 7319660055712, 7319660055729, 7319660055736, 7319660059901, 7319660059925, 7319660059932, 7319660059963, 7319660060273, 7319660225627, 7319660225634, 7319660225641, 7319660225658, 7319660225665, 7319660225672, 7319661722279, 7319661722286, 7319661722316, 7319661722330, 7319661722354, 7319661722378, 7319661722385, 7319661722415, 7319661722422, 7319661722439, 7319661722453, 7319661999848, 7319661999855, 7319661999862, 7319662026772, 7319662033428, 7319662045827, 7319662045841, 7319662045858, 7319662045865, 7319662045872, 7319662045902, 7319662045919, 7319662045926, 7319662045933, 7319662045940, 7319662072960, 7319662072977, 7319662072984, 7319662130011, 7319662132985, 7319662132992, 7319662133005, 7319662133012, 7319662133838, 7319662133845, 7319662133852, 7319662133869, 7319662206105, 7319662206723, 7319662206730, 7319662210263, 7319662212328, 7319662219013, 7319662219365, 7319662219372, 7319662219501, 7319662219518, 7319662221153, 7319662221511, 7319662221542, 7319662221559, 7319662221566, 7319662221573, 7319662221580, 7319662221597, 7319662221603, 73196622296830, 73196622296847, 73196622296854, 73196622296861, 7319662365789, 7319662479691, 7319662821490, 7319662821506, 7319662821513, 7319662821520, 7319662821537, 7319662821544, 7319662821551, 7319662821568, 7319662821575, 7319662821582, 7319662821599, 7319662821605, 7319662821612, 7319662821629, 7319662821650, 7319662821667, 7319662821674, 7319662821681, 7319662821698, 7319662821704, 7319662821711, 7319662821728, 7319662821735, 7319662821742, 7319662821759, 7319662821766, 7319662821773, 7319662821780, 7319662838313, 7319662838320, 7319662838337, 7319662838344, 7319662838351, 7319662838368, 7319662838375, 7319662838382, 7319662838399, 7319662838405, 7319662838412, 7319662838429, 7319662838450, 7319662838467, 7319664506531, 7319664506548, 7319664507798, 7319664507804, 7319664507910, 7319664507927, 7319664512211, 7319664512228, 7319664512235, 7319664512242, 7319664512259, 7319664512266, 7319664512600, 7319664512617, 7319664512624

Product group/Product group classification

Product group system	Product group id
BK04	01606
BSAB96	NBJ
BSAB96	NSJ

Article description:

Lindab's roof safety system in powder coated galvanized steel with EPDM.

The BPD covers - CELUF, FF, FFGLS, FFHSN, FFUNIK, IF20, IF35, IF45, IFLPA, IFLPE, IFSIN, IFSRPN, LLFDF, SAWPLF, TSK, TSKFF, TSKFFBR, TSKIF, TSKTAT.

Assessment at Byggarbeteinspektionen etc. is registered under the name "Taksäkerhet, EPDM". It is also possible to use the article name as search criteria.

Declarations of performance:

Not applicable

Declaration of performance number:

Other information:

References

Reference

Widman J "Stålet och miljön". Stålbyggnadsinstitutet-Jernkontoret, Stockholm (2001)

Carbon Footprint study for Lindab produkts performed by WSP 2010

Annexes

Annex

https://itsolution.lindab.com/LindabWebProductsDoc/PDF/Documentation/ADS/Lindab/Building_product_Declarations/Attachment/Miljointyg_Oresundskraft.pdf

https://itsolution.lindab.com/lindabwebproductsdoc/PDF/Profile/EN/BPD/Attachment/GTIN_for_Roof_Safety_BVD_LindabProfile.pdf

3. CHEMICAL CONTENT

Chemical content

Does the declaration apply to a product or chemical product?

product

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Not applicable

Is there classification of the article?

Not applicable

If yes, indicate the classification of the product under Regulation (EC) No

Enter which version of the candidate list has been used (Year, month, day)

2026-02-04

The article is covered by the RoHS Directive:

No

Enter the weight of the article:

Enter how large a proportion of the material content has been declared [%]:

100

If 100% material content is not declared, please state the reason

If the article contains nanomaterials deliberately added to obtain a particular function, enter these here:

The powder coatings contain small amounts of < 0.3% nanomaterials (according to REACH), which tend to agglomerate into larger chunks. In a properly cured powder coating, all nanomaterials are embedded in the coating matrix. Their mobility can therefore be ruled out.

Has the presence of nanomaterials deliberately added to notifiable chemical products been reported to the Product Register

No

Enter the proportion of volatile organic substances [g/litre], applies only to sealants, paints, varnishes and adhesives:

Article and/or sub-components

Phase

Delivery

Component	color	Weight% of product	<2
------------------	-------	---------------------------	----

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	carbon black	<0.3	1333-86-4	
		Comment: Content in product 0,006% (nanomaterial)		
	PTFE	<0.5	9002-84-0	
		Comment: Content in product 0,01%		

Component	EPDM	Weight% of product	<2
------------------	------	---------------------------	----

Comment

Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Other substance properties
	etenpropengummi	<50	25038-36-2	
		Comment: Content in product 1%		
	zinc oxide	<1	1314-13-2	
		Comment: Content in product 0,03%		

CAS	H-phrased	Exposure
1314-13-2	H400 - Aquatic Acute 1	
1314-13-2	H410 - Aquatic Chronic 1	

Component	Galvanized steel	Weight% of product	>96
------------------	------------------	---------------------------	-----

Comment EN 10346:2015

Other information:

4. RAW MATERIALS

Is there supporting documentation for the raw materials for third-party certified system for control of origin, raw material extraction, manufacturing or recycling processes or similar (for example BES 6001:2008, EMS certificate, USGBC Program)? If yes, enter system(s):

No

Raw materials

Component	Material	Transport type
	Steel	Ship
Country of raw material extraction		City of raw material extraction
Sweden		Kiruna
Country of manufacture/production		City of manufacture/production
Comment		
The steel raw material is produced at different smelting plants, mainly in the EU, according to the detailed specification of the current standard. The sheet dimensions are then adjusted at the production unit in Grevie.		

Total recycled material in the article

Is recycled material included in the article?

Material	
Steel	
Share of waste (from own production)	Share of waste (from other people's production)
0	0
Recycled material (treated)	Reused material
100	0
Weight/percent by weight	
>20 %	
Comment	
About 20% recycled material are being used in the production of steel.	

Renewable material

Enter proportion of renewable material in the article

20

Included biobased raw material is tested according to ASTM test method D6866:

Origin of raw material

For this product, there has been no withdrawal of virgin fossil material

Yes

If yes, please indicate the maximum percentage of virgin fossil material that can be included in the material (or item) in question

80

Wood raw materials

Wood raw materials are included

Included wood raw material is certified

How large a proportion is certified [%]?

What certification system has been used (for example FSC, CSA, SFI with CoC, PEFC)?

Reference number:

Enter logging country for the wood raw material and that following criteria have been met. Country of logging:

Does not contain type of wood or origin in CITES appendix of endangered species

Which version of CITES has been used for the check?

The timber has been logged legally and there is certification for this

5. ENVIRONMENTAL IMPACT

Environmental impact during life cycle of the article, production phase module A1-A3 under EN

Has environmental product declaration been drawn up according to EN 15804 or ISO 14025 for the article?

These product-specific rules, known as PCR, have been applied:

Registration number / ID number for EPD:

If there is environmental product declaration or other life cycle assessment, describe how the environmental impact of the article is taken into account from a life cycle perspective:

The information refer to "gate to gate", inflows (raw materials, inputs, energy, etc.) for the registered product into the manufacturing unit, and outflows (emissions and waste) from it and relates to unit of product 1 kg.

Country of final manufacture: Sweden

Energy used in the manufacture of the product: electricity 0,26 kWh per produced kilo. From 2017, all units in Sweden only uses electricity from renewable sources. See attached file.

Transport: <98% truck, deliveries to the customer/branch, <1% electric forklift, partially replaced shipments with diesel trucks, <1% diesel forklift, heavier internal transports.

Climate impact from internal transports: CO2 0,0025 kg, CH4 <0,0001 kg and N2O <0,0001 kg.

Emissions to air, water or soil from the manufacture of the product, climate impact from operations: carbon dioxide equivalents (CO2-e) ≈ 1,5 kg per kilo product (includes energy/waste/scrap/travels)

The production itself causes no emissions to air, water or land.

Residual products from the manufacture of the product: 5% steel scrap, 100% is recycled, waste code 17 04 05. <0,001 kg emulsions, 100% is recycled, waste code 20 01 26. Wipes, <0,00001 kg, 100% is energy recycled, waste code 15 02 02. All waste is taken care of by a carrier with the necessary permits. No waste is exported.

For information about raw materials, distribution, waste etc., see the other sections.

6. DISTRIBUTION

Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the article?

Yes

Does the supplier take back packaging for the article?

Yes

Is the supplier affiliated to a system for product responsibility for packaging?

Yes

If yes, which packaging and which system?

TMR

Can packaging/packaging be reused?

Yes

Can packaging/packaging be recycled?

Yes

Can packaging/packaging be energy recycled?

Yes

Does the supplier use Retursystem Byggpall?

Yes

Other information:

If possible products are packed together. The packaging materials include wood, cardboard, and plastic wrap. Wooden pallets are being reused. All packaging consists of recyclable material, the cardboard Lindab uses for packaging consist of 97,5% recycled material. Shipments of manufactured goods are mainly transported by truck to the customer/branch. The average transporting distance is <500 km.

7. CONSTRUCTION PHASE

Construction phase

Does the article make special requirements in storage?

No

Specify

Does the article make special requirements for surrounding building products?

No

Specify

Other information:

8. USE PHASE

Use phase

Does the article make requirements for input materials for operation and maintenance?

No

Specify:

Does the article require supply of energy during operation?

No

Specify:

Estimated technical service life for the article:

<30 years

Comment:

Lifetime depends on the environment where the product is being used. Corrosive environments can affect the life of the product negatively. See Lindab's product catalogue for more information.

Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?

Not applicable

If yes, enter labelling (G to A, A+, A++, A+++):

If yes, enter marking (G to A)

Other information:

9. DEMOLITION

Demolition

Is the article prepared for disassembly (dismantling)?

Yes

Can the product be separated into pure material types for recycling?

Yes

Specify:

The rubber and metal can be separated

Does the article require special measures for protection of health and environment in demolition/disassembly?

No

Specify:

Other information:

10. WASTE MANAGEMENT

Delivered article

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?

No

Is reuse possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

The use of standard dimensions makes it easier to reuse the products.

Is material recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

100% of the material can be recycled.

Is energy recovery possible for the whole or parts of the article when it becomes waste?

Yes

Specify:

Heat recovery occurs at smelter.

Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?

Yes

Specify:

Should be recycled.

Waste code for the delivered article when it becomes waste

170405 - 05 Järn och stål.

191204 - 04 Plast och gummi.

When the supplied article becomes waste, is it classified as hazardous waste?

No

Mounted article

Is the mounted article classified as hazardous waste?

No

Other information

11. INDOOR ENVIRONMENT

Indoor environment

- The article is not intended for indoor use
- The article does not emit any substances
- Emissions from the article not measured

Does the article have a critical moisture state?

No

If yes, state what:

Noise

Electrical field

Magnetic fields

Can the article give rise to own noise?

Can the article give rise to electrical fields?

Can the article give rise to magnetic fields?

No

No

No

Value:

Value:

Value:

Unit:

Unit:

Unit:

Measuring method:

Measuring method:

Measuring method:

Paints and varnishes

- The article is resistant to fungi and algae in use in wet areas

Emissions

The article produces the following emissions in intended use:

Other information